


2024/05/20 0907Z

KBOS ALLEX ONBOV LEDGO MARUK VATRI ZH775 LSZH

3246.95 nm / 6013.36 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBOS	-	42.35660	0 ft	-	-
APT	-	-71.02327	0 m		
ALLEX	-	44.41667	0 ft	214	-
FIX	-	-67.00000	0 m		
ONBOV	-	46.24333	0 ft	205	-
FIX	-	-62.87433	0 m		
LEDGO	-	51.24000	0 ft	2158	-
FIX	-	-7.56806	0 m		
MARUK	-	50.24639	0 ft	217	-
FIX	-	-2.07222	0 m		
VATRI	-	48.79333	0 ft	254	-
FIX	-	4.05833	0 m		
ZH775	-	47.58833	0 ft	178	-
FIX	-	8.12889	0 m		
LSZH	-	47.45894	0 ft	18	-
APT	-	8.53748	0 m		

KBOS

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 6

Elevation: 19 ft / 6 m
Location: 42.363000 -71.006800
Magnetic Var: 14.285 W

METAR

KBOS 200754Z 36005KT 10SM FEW014 OVC028 11/09 A3004 RMK A02 CIG 014 E SLP173 T01110094

TAF

TAF AMD KBOS 200809Z 2008/2112 02005KT P6SM BKN015 TEMPO 2008/2011 4SM -DZ BR OVC007 FM201200 03004KT P6SM OVC015

Frequencies

REC - 135.00 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 121.65 MHz - CLEARANCE DELIVERY	GND - 121.75 MHz - BOSTON GROUND
GND - 121.90 MHz - BOSTON GROUND	TWR - 128.80 MHz - BOSTON TOWER
TWR - 124.72 MHz - BOSTON TOWER	TWR - 132.22 MHz - BOSTON TOWER
APP - 118.25 MHz - BOSTON APPROACH	APP - 120.60 MHz - BOSTON APPROACH
APP - 127.20 MHz - BOSTON APPROACH	DEP - 133.00 MHz - BOSTON DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	148 ft	10,092 ft	135.27	ASPHALT	883 ft	197 ft
	45 m	3,076 m	149.55		269 m	60 m
33L	148 ft	10,092 ft	315.29	ASPHALT	0 ft	167 ft
	45 m	3,076 m	329.57		0 m	51 m
04R	148 ft	10,012 ft	19.69	ASPHALT	1,155 ft	420 ft
	45 m	3,052 m	33.97		352 m	128 m
22L	148 ft	10,012 ft	199.69	ASPHALT	1,201 ft	200 ft
	45 m	3,052 m	213.98		366 m	61 m
04L	148 ft	7,871 ft	19.66	ASPHALT	0 ft	1,250 ft
	45 m	2,399 m	33.94		0 m	381 m
22R	148 ft	7,871 ft	199.66	ASPHALT	820 ft	200 ft
	45 m	2,399 m	213.95		250 m	61 m
09	148 ft	7,008 ft	76.51	ASPHALT	0 ft	932 ft
	45 m	2,136 m	90.80		0 m	284 m
27	148 ft	7,008 ft	256.53	ASPHALT	0 ft	161 ft
	45 m	2,136 m	270.81		0 m	49 m
14	98 ft	5,005 ft	125.76	ASPHALT	0 ft	0 ft
	30 m	1,526 m	140.05		0 m	0 m
32	98 ft	5,005 ft	305.77	ASPHALT	0 ft	801 ft
	30 m	1,526 m	320.06		0 m	244 m
15L	98 ft	2,558 ft	135.31	ASPHALT	0 ft	305 ft
	30 m	780 m	149.59		0 m	93 m
33R	98 ft	2,558 ft	315.31	ASPHALT	0 ft	59 ft
	30 m	780 m	329.60		0 m	18 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	IBOS	110.30 MHz	18 nm	-	-	35 ft
				33 km	-		35 m
15R	DME	IMDC	110.70 MHz	18 nm	-	-	27 ft
				33 km	-		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22L	DME	ILQN	110.30 MHz	18 nm 33 km	- -	-	35 ft 35 m
27	DME	IDGU	111.30 MHz	18 nm 33 km	- -	-	28 ft 28 m
33L	DME	ILIP	110.70 MHz	18 nm 33 km	- -	-	19 ft 19 m
04R	LOC-ILS	IBOS	110.30 MHz	18 nm 33 km	19.68 33.96	-	20 ft 20 m
15R	LOC-ILS	IMDC	110.70 MHz	18 nm 33 km	135.28 149.56	-	20 ft 20 m
22L	LOC-ILS	ILQN	110.30 MHz	18 nm 33 km	199.68 213.96	-	20 ft 20 m
27	LOC-ILS	IDGU	111.30 MHz	18 nm 33 km	256.52 270.80	-	20 ft 20 m
33L	LOC-ILS	ILIP	110.70 MHz	18 nm 33 km	315.28 329.56	-	20 ft 20 m
04R	GS	IBOS	110.30 MHz	10 nm 19 km	19.68 33.96	3.00	20 ft 20 m
15R	GS	IMDC	110.70 MHz	10 nm 19 km	135.28 149.56	3.00	20 ft 20 m
22L	GS	ILQN	110.30 MHz	10 nm 19 km	199.68 213.96	3.00	20 ft 20 m
27	GS	IDGU	111.30 MHz	10 nm 19 km	256.52 270.80	3.00	20 ft 20 m
33L	GS	ILIP	110.70 MHz	10 nm 19 km	315.28 329.56	3.00	20 ft 20 m

LSZH

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 3

Elevation: 1,416 ft / 432 m
Location: 47.463500 8.549950
Magnetic Var: 3.128 E

METAR

LSZH 200820Z 31004KT 280V350 CAVOK 17/11 Q1011 NOSIG

TAF

TAF LSZH 200825Z 2009/2115 VRB02KT CAVOK TX23/2015Z TN13/2104Z TX15/2114Z BECMG 2010/2012 05007KT 9999 FEW040 TEM

Frequencies

REC - 125.72 MHz - ATIS	GND - 121.90 MHz - ZURICH GROUND
GND - 118.15 MHz - ZURICH GROUND	GND - 119.75 MHz - ZURICH GROUND
GND - 121.75 MHz - ZURICH APRON	GND - 121.70 MHz - ZURICH APRON
GND - 121.85 MHz - ZURICH APRON	GND - 121.97 MHz - ZURICH APRON
TWR - 118.10 MHz - ZURICH TOWER	TWR - 120.22 MHz - ZURICH TOWER
TWR - 119.70 MHz - ZURICH TOWER	APP - 118.00 MHz - ZURICH ARRIVAL
APP - 135.22 MHz - ZURICH APPROACH	APP - 125.32 MHz - ZURICH FINAL
APP - 120.75 MHz - ZURICH FINAL	DEP - 125.95 MHz - ZURICH DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	12,181 ft	155.03	CONCRETE	0 ft	62 ft
	60 m	3,713 m	151.90		0 m	19 m
34	197 ft	12,181 ft	335.05	CONCRETE	1,542 ft	49 ft
	60 m	3,713 m	331.92		470 m	15 m
14	197 ft	10,816 ft	137.29	CONCRETE	492 ft	75 ft
	60 m	3,297 m	134.16		150 m	23 m
32	197 ft	10,816 ft	317.31	CONCRETE	0 ft	82 ft
	60 m	3,297 m	314.19		0 m	25 m
10	197 ft	8,196 ft	95.99	CONCRETE	0 ft	62 ft
	60 m	2,498 m	92.86		0 m	19 m
28	197 ft	8,196 ft	276.02	CONCRETE	0 ft	276 ft
	60 m	2,498 m	272.89		0 m	84 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IKL	108.30 MHz	18 nm	-	-	1,460 ft
				33 km	-		1,460 m
16	DME	IZH	110.50 MHz	18 nm	-	-	1,400 ft
				33 km	-		1,400 m
28	DME	IZW	109.75 MHz	18 nm	-	-	1,416 ft
				33 km	-		1,416 m
34	DME	IZS	110.75 MHz	18 nm	-	-	1,410 ft
				33 km	-		1,410 m
14	LOC-ILS	IKL	111.75 MHz	18 nm	137.31	-	1,417 ft
				33 km	134.18		1,417 m
16	LOC-ILS	IZH	110.50 MHz	18 nm	155.05	-	1,417 ft
				33 km	151.92		1,417 m
28	LOC-ILS	IZW	109.75 MHz	18 nm	276.01	-	1,417 ft
				33 km	272.88		1,417 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IZS	110.75 MHz	18 nm	335.06	-	1,417 ft
				33 km	331.93		1,417 m
14	GS	IKL	111.75 MHz	10 nm	137.31	3.00	1,417 ft
				19 km	134.18		1,417 m
16	GS	IZH	110.50 MHz	10 nm	155.05	3.00	1,417 ft
				19 km	151.92		1,417 m
28	GS	IZW	109.75 MHz	10 nm	276.01	3.30	1,417 ft
				19 km	272.88		1,417 m
34	GS	IZS	110.75 MHz	10 nm	335.06	3.30	1,417 ft
				19 km	331.93		1,417 m