


2024/05/20 1050Z

SBCT SBSP

179.15 nm / 331.78 km



## Notes

Generated

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBCT	-	-25.52836	0 ft	-	-
APT	-	-49.18010	0 m	-	-
SBSP	-	-23.62070	0 ft	179	-
APT	-	-46.65829	0 m	-	-

## SBCT

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 2

Elevation: 2,989 ft / 911 m  
Location: -25.528800 -49.173100  
Magnetic Var: 20.548 W

## METAR

SBCT 201000Z 23004KT 9999 SCT023 14/12 Q1021

## TAF

TAF SBCT 200300Z 2006/2106 25005KT 2000 BR OVC004 TX20/2017Z TN14/2103Z BECMG 2010/2012 6000 OVC008 BECMG 2012/2014 2000 OVC004

## Frequencies

REC - 127.80 MHz - CURITIBA ATIS  
TWR - 118.15 MHz - CURITIBA TOWER  
APP - 120.65 MHz - CURITIBA APPROACH  
APP - 129.55 MHz - CURITIBA APPROACH  
GND - 121.90 MHz - CURITIBA GROUND  
APP - 119.95 MHz - CURITIBA APPROACH  
APP - 120.95 MHz - CURITIBA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	7,278 ft	134.69	ASPHALT	0 ft	230 ft
	45 m	2,218 m	155.24		0 m	70 m
33	148 ft	7,278 ft	314.69	ASPHALT	0 ft	213 ft
	45 m	2,218 m	335.23		0 m	65 m
11	148 ft	5,905 ft	91.73	ASPHALT	0 ft	0 ft
	45 m	1,800 m	112.28		0 m	0 m
29	148 ft	5,905 ft	271.73	ASPHALT	0 ft	89 ft
	45 m	1,800 m	292.27		0 m	27 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	ICT	109.30 MHz	18 nm	134.69	-	2,988 ft
				33 km	155.24		2,988 m
33	LOC-ILS	ITA	110.30 MHz	18 nm	314.69	-	2,988 ft
				33 km	335.24		2,988 m
15	GS	ICT	109.30 MHz	10 nm	134.69	3.00	2,988 ft
				19 km	155.24		2,988 m
33	GS	ITA	110.30 MHz	10 nm	314.69	3.00	2,988 ft
				19 km	335.24		2,988 m

## SBSP

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 2

Elevation: 2,631 ft / 802 m  
Location: -23.626100 -46.656400  
Magnetic Var: 22.105 W

## METAR

SBSP 201000Z 02004KT CAVOK 20/18 Q1021

## TAF

TAF SBSP 200430Z 2006/2018 00000KT 8000 BKN013 TN18/2009Z TX26/2015Z BECMG 2013/2015 27005KT 9999 SCT030 RMK PGL

## Frequencies

REC - 127.65 MHz - CONGONHAS ATIS	CLD - 120.60 MHz - CONGONHAS CLEARANCE
GND - 121.90 MHz - CONGONHAS GROUND	TWR - 118.05 MHz - CONGONHAS TOWER
TWR - 127.15 MHz - CONGONHAS TOWER	APP - 133.85 MHz - SAO PAULO APPROACH
APP - 119.05 MHz - SAO PAULO APPROACH	APP - 134.90 MHz - SAO PAULO APPROACH
APP - 119.80 MHz - SAO PAULO APPROACH	APP - 129.00 MHz - SAO PAULO APPROACH
APP - 119.60 MHz - SAO PAULO APPROACH	APP - 122.75 MHz - SAO PAULO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	6,360 ft	147.63	ASPHALT	407 ft	0 ft
	45 m	1,938 m	169.74		124 m	0 m
35L	148 ft	6,360 ft	327.63	ASPHALT	180 ft	0 ft
	45 m	1,938 m	349.73		55 m	0 m
17L	148 ft	4,920 ft	147.63	ASPHALT	197 ft	0 ft
	45 m	1,500 m	169.74		60 m	0 m
35R	148 ft	4,920 ft	327.63	ASPHALT	0 ft	0 ft
	45 m	1,500 m	349.73		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17R	LOC-ILS	ISP	109.30 MHz	18 nm	147.63	-	2,631 ft
				33 km	169.73		2,631 m
35L	LOC-ILS	ISO	109.70 MHz	18 nm	327.63	-	2,631 ft
				33 km	349.73		2,631 m
17R	GS	ISP	109.30 MHz	10 nm	147.63	2.90	2,631 ft
				19 km	169.73		2,631 m
35L	GS	ISO	109.70 MHz	10 nm	327.63	3.00	2,631 ft
				19 km	349.73		2,631 m