

KJFK

John F. Kennedy Intl

EK202


2024/05/20 0844Z

OMDB

Dubai Intl

KJFK HAPIE DOVEY 4200N06000W 4400N05000W 4700N04000W 4800N03000W 4700N02000W 4600N01500W BEGAS
VES LASKU **UM190** BLV **UM601** BCN NOLVI **UM739** TABOT DOPEL **UM739** SONAK DINUX TOVMA EVIRA EMLAR AMIBO
TIMBI ARLOS SALUN KANAR DBA **M872** FYM **W613** ALPID MENLI **N697** SISIK **W976** TAKSU KARIK **B411** ULINA
UB411 DEESA BOSAL LABAD NIMAR DEDGI TAMRO GEXUP VUTAD LOTOK EMENI DAROR **P559** VUTEB OMDB

6369.71 nm / 11796.70 km



Notes

Requested: KJFK HAPIE DOVEY 4200N/06000W 4400N/05000W 4700N/04000W 4800N/03000W 4700N/02000W 4600N/01500W BEGAS
Unmatched points: L550 Y415

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK APT	-	40.64010 -73.77650	0 ft 0 m	-	John F. Kennedy Intl
HAPIE FIX	-	40.38650 -72.98270	0 ft 0 m	39	-
DOVEY FIX	-	41.11670 -67.00000	0 ft 0 m	275	-
4200N06000W LATLON	-	42.00000 -60.00000	0 ft 0 m	318	-
4400N05000W LATLON	-	44.00000 -50.00000	0 ft 0 m	455	-
4700N04000W LATLON	-	47.00000 -40.00000	0 ft 0 m	457	-
4800N03000W LATLON	-	48.00000 -30.00000	0 ft 0 m	409	-
4700N02000W LATLON	-	47.00000 -20.00000	0 ft 0 m	409	-
4600N01500W LATLON	-	46.00000 -15.00000	0 ft 0 m	215	-
BEGAS FIX	-	45.00000 -9.00000	0 ft 0 m	259	-
VES DME	-	43.56460 -6.03075	0 ft 0 m	154	ASTURIAS VOR-DME
LASKU FIX	-	43.50410 -4.87344	0 ft 0 m	50	-
RONSI FIX	UM190 AWY-HI	43.48440 -4.50358	0 ft 0 m	16	-
SNR VOR	UM190 AWY-HI	43.44980 -3.90242	0 ft 0 m	26	SANTANDER
BLV VOR	UM190 AWY-HI	43.30440 -2.93589	0 ft 0 m	43	BILBAO
CEGAM FIX	UM601 AWY-HI	42.98370 -2.23636	0 ft 0 m	36	-
PPN VOR	UM601 AWY-HI	42.73370 -1.70200	0 ft 0 m	27	PAMPLONA
RONKO FIX	UM601 AWY-HI	42.49600 -1.03067	0 ft 0 m	32	-
SURCO FIX	UM601 AWY-HI	42.32880 -0.56794	0 ft 0 m	22	-
MARIO FIX	UM601 AWY-HI	42.21020 -0.24411	0 ft 0 m	16	-
POSSY FIX	UM601 AWY-HI	42.06130 0.15717	0 ft 0 m	19	-
GRAUS FIX	UM601 AWY-HI	41.97900 0.37644	0 ft 0 m	10	-
GEMAS FIX	UM601 AWY-HI	41.84500 0.73025	0 ft 0 m	17	-
REBUL FIX	UM601 AWY-HI	41.69790 1.11347	0 ft 0 m	19	-
VIBOK FIX	UM601 AWY-HI	41.54690 1.50186	0 ft 0 m	19	-
CAVES FIX	UM601 AWY-HI	41.48340 1.66347	0 ft 0 m	8	-
BCN	UM601	41.30710	0 ft	22	BARCELONA

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	2.10781	0 m		
NOLVI	-	40.73170	0 ft	177	-
FIX	-	5.95639	0 m		
ODAKA	UM739	40.23530	0 ft	40	-
FIX	AWY-HI	6.56194	0 m		
ETOIL	UM739	39.73170	0 ft	40	-
FIX	AWY-HI	7.16333	0 m		
TABOT	UM739	39.15000	0 ft	52	-
FIX	AWY-HI	8.00000	0 m		
DOPEL	-	38.52750	0 ft	55	-
FIX	-	8.88361	0 m		
ELKIS	UM739	38.26190	0 ft	23	-
FIX	AWY-HI	9.25278	0 m		
SAMEK	UM739	38.00190	0 ft	23	-
FIX	AWY-HI	9.61028	0 m		
TANIT	UM739	37.75420	0 ft	21	-
FIX	AWY-HI	9.94750	0 m		
MEDAR	UM739	37.52060	0 ft	20	-
FIX	AWY-HI	10.26170	0 m		
MANEX	UM739	37.45440	0 ft	5	-
FIX	AWY-HI	10.35000	0 m		
ICANI	UM739	37.23610	0 ft	19	-
FIX	AWY-HI	10.64060	0 m		
CBN	UM739	36.89520	0 ft	29	CAP BON
VOR	AWY-HI	11.08890	0 m		
SONAK	UM739	36.62000	0 ft	25	-
FIX	AWY-HI	11.50000	0 m		
DINUX	-	36.50000	0 ft	17	-
FIX	-	11.82220	0 m		
TOVMA	-	36.37860	0 ft	67	-
FIX	-	13.20920	0 m		
EVIRA	-	35.88140	0 ft	183	-
FIX	-	16.94170	0 m		
EMLAR	-	35.63170	0 ft	67	-
FIX	-	18.28830	0 m		
AMIBO	-	34.94440	0 ft	167	-
FIX	-	21.60750	0 m		
TIMBI	-	34.89780	0 ft	10	-
FIX	-	21.81440	0 m		
ARLOS	-	34.62530	0 ft	60	-
FIX	-	23.00000	0 m		
SALUN	-	34.00000	0 ft	81	-
FIX	-	24.45000	0 m		
KANAR	-	32.45750	0 ft	153	-
FIX	-	26.89170	0 m		
DBA	-	31.01140	0 ft	118	EL DABA
VOR	-	28.46690	0 m		
FYM	M872	29.39750	0 ft	139	FAYOUM
VOR	AWY-HI	30.39310	0 m		
ALPID	W613	29.39860	0 ft	47	-
FIX	AWY-HI	31.30310	0 m		
MENLI	-	29.78330	0 ft	37	-
FIX	-	31.86830	0 m		
SISIK	N697	29.60000	0 ft	44	-
FIX	AWY-HI	32.68500	0 m		
DATOK	W976	29.60670	0 ft	80	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	34.23330	0 m		
TAKSU	W976	29.60690	0 ft	19	-
FIX	AWY-HI	34.60640	0 m		
KARIK	-	29.44250	0 ft	12	-
FIX	-	34.76140	0 m		
ULINA	B411	29.41420	0 ft	11	-
FIX	AWY-HI	34.97170	0 m		
ELETA	UB411	29.53360	0 ft	27	-
FIX	AWY-HI	35.48340	0 m		
TAMIM	UB411	29.61110	0 ft	17	-
FIX	AWY-HI	35.81110	0 m		
PETRA	UB411	29.70170	0 ft	29	-
FIX	AWY-HI	36.36940	0 m		
DEESA	UB411	29.75250	0 ft	16	-
FIX	AWY-HI	36.68390	0 m		
BOSAL	-	29.48670	0 ft	70	-
FIX	-	37.99250	0 m		
LABAD	-	29.32280	0 ft	48	-
FIX	-	38.90310	0 m		
NIMAR	-	29.10970	0 ft	54	-
FIX	-	39.90690	0 m		
DEDGI	-	28.98420	0 ft	41	-
FIX	-	40.69110	0 m		
TAMRO	-	28.64390	0 ft	106	-
FIX	-	42.67970	0 m		
GEXUP	-	28.45670	0 ft	49	-
FIX	-	43.58720	0 m		
VUTAD	-	28.39780	0 ft	15	-
FIX	-	43.86610	0 m		
LOTOK	-	28.13250	0 ft	66	-
FIX	-	45.08670	0 m		
EMENI	-	27.54280	0 ft	140	-
FIX	-	47.64670	0 m		
DAROR	-	27.04560	0 ft	127	-
FIX	-	49.97090	0 m		
RAMSI	P559	27.04690	0 ft	8	-
FIX	AWY-LO	50.12060	0 m		
GASSI	P559	27.04920	0 ft	13	-
FIX	AWY-LO	50.37470	0 m		
KOBOK	P559	26.97760	0 ft	10	-
FIX	AWY-LO	50.56370	0 m		
BOXOG	P559	26.90110	0 ft	11	-
FIX	AWY-LO	50.76490	0 m		
DAVRI	P559	26.82670	0 ft	11	-
FIX	AWY-LO	50.95890	0 m		
SODAK	P559	26.77610	0 ft	7	-
FIX	AWY-LO	51.09170	0 m		
DANOB	P559	26.66280	0 ft	20	-
FIX	AWY-LO	51.44440	0 m		
BOTOB	P559	26.56390	0 ft	17	-
FIX	AWY-LO	51.75140	0 m		
ROSAN	P559	26.52480	0 ft	6	-
FIX	AWY-LO	51.87220	0 m		
KUMLA	P559	26.43580	0 ft	15	-
FIX	AWY-LO	52.13940	0 m		
ASPAK	P559	26.35430	0 ft	13	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	52.38260	0 m		
TOMSO	P559	26.10310	0 ft	38	-
FIX	AWY-LO	53.03720	0 m		
NALPO	P559	25.93390	0 ft	26	-
FIX	AWY-HI	53.49580	0 m		
SOKAK	P559	25.85860	0 ft	12	-
FIX	AWY-HI	53.71420	0 m		
KIVUS	P559	25.75610	0 ft	17	-
FIX	AWY-HI	54.00890	0 m		
PUSOT	P559	25.65530	0 ft	18	-
FIX	AWY-HI	54.33640	0 m		
AMBOV	P559	25.57750	0 ft	14	-
FIX	AWY-HI	54.58670	0 m		
VUTEB	P559	25.61250	0 ft	15	-
FIX	AWY-HI	54.86360	0 m		
OMDB	-	25.25110	0 ft	35	Dubai Intl
APT	-	55.37110	0 m		

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.819 W

METAR

KJFK 200814Z 00000KT 10SM BKN018 13/12 A3004 RMK AO2 T01330117

TAF

TAF AMD KJFK 200726Z 2007/2112 VRB05KT P6SM SCT050 FM201000 VRB05KT P6SM BKN025 FM201600 16008KT P6SM SCT040 FM210000 16008KT P6SM SCT040

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.49		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
31R	DME	IRTH	111.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm 33 km	30.68 43.50	-	12 ft 12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm 33 km	30.67 43.49	-	12 ft 12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm 33 km	120.87 133.69	-	12 ft 12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm 33 km	210.67 223.49	-	12 ft 12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm 33 km	210.68 223.50	-	12 ft 12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm 33 km	300.84 313.66	-	12 ft 12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm 33 km	300.87 313.69	-	12 ft 12 m
04L	GS	IHIQ	110.90 MHz	10 nm 19 km	30.68 43.50	3.00	12 ft 12 m
04R	GS	IJFK	109.50 MHz	10 nm 19 km	30.67 43.49	3.00	12 ft 12 m
13L	GS	ITLK	111.50 MHz	10 nm 19 km	120.87 133.69	3.00	12 ft 12 m
22L	GS	IIWY	110.90 MHz	10 nm 19 km	210.67 223.49	3.00	12 ft 12 m
22R	GS	IJOC	109.50 MHz	10 nm 19 km	210.68 223.50	3.00	12 ft 12 m
31L	GS	IMOH	111.35 MHz	10 nm 19 km	300.84 313.66	3.00	12 ft 12 m
31R	GS	IRTH	111.50 MHz	10 nm 19 km	300.87 313.69	3.00	12 ft 12 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.354 E

METAR

OMDB 200800Z 25007KT 180V320 CAVOK 35/21 Q1005 NOSIG

TAF

TAF OMDB 200500Z 2006/2112 21008KT 8000 NSC BECMG 2006/2008 27012KT BECMG 2016/2018 19005KT PROB30 TEMPO 2022/2100

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m