

MMUN

Cancun Intl

AFR651



LFPG

Paris Charles De Gaulle

2024/05/20 0949Z

MMUN ROTGI **UM219** MYDIA **M219** CULLY KR75Q PIE ORL **AR6** HOBEE **M202** LENDS TROUT LEXIM NOSID SOORY
ATSUR GAPLI ANNET **UM25** LUKIP LUKIP LFPG

4519.88 nm / 8370.81 km



Notes

Requested: MMUN ROTGI UM219 MYDIA M219 CULLY KR75Q PIE ORL AR6 HOBEE M202 LENDS TROUT LEXIM NOSID SOORY NATZ ATSUR
Unmatched points: NATZ

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMUN	-	21.04210	0 ft	-	Cancun Intl
APT	-	-86.87350	0 m		
ROTGI	-	21.84290	0 ft	49	-
FIX	-	-86.67180	0 m		
XOPGI	UM219	22.39190	0 ft	33	-
FIX	AWY-HI	-86.54500	0 m		
RAKAR	UM219	22.76560	0 ft	22	-
FIX	AWY-HI	-86.45830	0 m		
MYDIA	UM219	24.04070	0 ft	78	-
FIX	AWY-HI	-86.15820	0 m		
SNAKR	M219	25.34140	0 ft	89	-
FIX	AWY-HI	-85.34490	0 m		
BUUOY	M219	26.03020	0 ft	41	-
FIX	AWY-HI	-85.27400	0 m		
CULLY	M219	26.38270	0 ft	21	-
FIX	AWY-HI	-85.23750	0 m		
KR75Q	-	27.50000	0 ft	94	-
FIX	-	-84.00000	0 m		
PIE	-	27.90780	0 ft	74	SAINT PETERSBURG
VOR	-	-82.68430	0 m		
ORL	-	28.54270	0 ft	80	ORLANDO
VOR	-	-81.33500	0 m		
BITHO	AR6	28.63090	0 ft	15	-
FIX	AWY-HI	-81.05940	0 m		
MALET	AR6	28.69160	0 ft	10	-
FIX	AWY-HI	-80.86790	0 m		
APOLO	AR6	28.83260	0 ft	25	-
FIX	AWY-HI	-80.42090	0 m		
PETEE	AR6	28.92530	0 ft	16	-
FIX	AWY-HI	-80.12110	0 m		
HIBAC	AR6	29.09410	0 ft	30	-
FIX	AWY-HI	-79.56800	0 m		
HALSS	AR6	29.17040	0 ft	14	-
FIX	AWY-HI	-79.31550	0 m		
HOBEE	AR6	29.22240	0 ft	9	-
FIX	AWY-HI	-79.15130	0 m		
INDRO	M202	29.23670	0 ft	3	-
FIX	AWY-HI	-79.09610	0 m		
BGDOG	M202	29.29350	0 ft	10	-
FIX	AWY-HI	-78.90830	0 m		
LEND5	M202	29.36590	0 ft	13	-
FIX	AWY-HI	-78.67010	0 m		
TROUT	-	30.38360	0 ft	106	-
FIX	-	-76.99960	0 m		
LEXIM	-	31.79930	0 ft	183	-
FIX	-	-73.84500	0 m		
NOSID	-	34.10990	0 ft	284	-
FIX	-	-68.91450	0 m		
SOORY	-	38.50000	0 ft	494	-
FIX	-	-60.26760	0 m		
ATSUR	-	50.00000	0 ft	2068	-
FIX	-	-14.00000	0 m		
GAPLI	-	50.00000	0 ft	231	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-8.00000	0 m		
ANNET	-	49.65140	0 ft	156	-
FIX	-	-4.00139	0 m		
UVSUV	UM25	49.48810	0 ft	91	-
FIX	AWY-HI	-1.67456	0 m		
INGOR	UM25	49.36440	0 ft	56	-
FIX	AWY-HI	-0.25000	0 m		
LUKIP	UM25	49.31580	0 ft	29	-
FIX	AWY-HI	0.49639	0 m		
LUKIP	-	49.31580	0 ft	0	-
FIX	-	0.49639	0 m		
LFPG	-	49.00970	0 ft	83	Paris Charles De Gaulle
APT	-	2.56257	0 m		

MMUN

Region: MEXICO
Timezone: AMERICA/CANCUN
Runways: 2

Elevation: 22 ft / 7 m
Location: 21.042100 -86.873500
Magnetic Var: 2.723 W

METAR

UNKNOWN

TAF

TAF MMUN 200505Z 2006/2106 14010KT 6SM HZ SKC TX33/2019Z TN27/2012Z FM201500 14015KT P6SM SCT020 FM210300 13008KT

Frequencies

REC - 127.70 MHz - ATIS	REC - 122.30 MHz - CANCUN INFO
GND - 121.00 MHz - CANCUN GROUND	GND - 121.70 MHz - CANCUN GROUND
TWR - 118.10 MHz - CANCUN TOWER	TWR - 118.60 MHz - CANCUN TOWER
CLD - 122.10 MHz - CLEARANCE DELIVERY	APP - 124.70 MHz - CANCUN APPROACH
APP - 123.20 MHz - CANCUN ARRIVAL	DEP - 124.20 MHz - CANCUN DEPARTURE
DEP - 123.50 MHz - CANCUN DEPARTURE	GND - 130.50 MHz - GENERAL AVIATION RAMP CONTROL
APP - 125.20 MHz - MERIDA CONTROL	APP - 125.80 MHz - MERIDA CONTROL
APP - 128.00 MHz - MERIDA CONTROL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	190 ft	11,550 ft	123.85	ASPHALT	0 ft	476 ft
	58 m	3,520 m	126.57		0 m	145 m
30L	190 ft	11,550 ft	303.86	ASPHALT	0 ft	443 ft
	58 m	3,520 m	306.58		0 m	135 m
12L	148 ft	9,189 ft	123.84	ASPHALT	0 ft	72 ft
	45 m	2,801 m	126.56		0 m	22 m
30R	148 ft	9,189 ft	303.84	ASPHALT	0 ft	98 ft
	45 m	2,801 m	306.57		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	INCP	110.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12R	DME	ICUN	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12L	LOC-ILS	INCP	110.70 MHz	18 nm	123.84	-	21 ft
				33 km	126.56		21 m
12R	LOC-ILS	ICUN	111.10 MHz	18 nm	123.85	-	21 ft
				33 km	126.57		21 m
12L	GS	INCP	110.70 MHz	10 nm	123.84	3.00	21 ft
				19 km	126.56		21 m
12R	GS	ICUN	111.10 MHz	10 nm	123.85	3.00	21 ft
				19 km	126.57		21 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.499 E

METAR

LFPG 200930Z AUTO 05007KT 010V110 9999 FEW021 19/11 Q1011

TAF

UNKNOWN

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m