

KLAX
Los Angeles Intl


UAE216

OMDB
Dubai Intl

2024/05/20 0807Z

KLAX GARDY BEALE **Q842** WINEN TCH BIL VLN 5530N10000W 6200N09000W 6430N08000W 6630N07000W CANEL
6800N06000W 6900N05000W 7000N04000W 7000N02000W 6900N01000W 6700N00000E ADKAS BODRI SUMIM NOTAR
OSPER GUSLI SEVAN MAGRI ZAJ **R654** PEKAM KASOL ORSAR **R784** TATLA **L223** VUTEB OMDB

7504.59 nm / 13898.50 km



Notes

Requested: KLAX GARDY BEALE Q842 WINEN TCH BIL VLN 5530N/10000W 6200N/09000W 6430N/08000W 6630N/07000W CANEL 6800N/06000W 6900N/05000W 7000N/04000W 7000N/02000W 6900N/01000W 6700N/00000E ADKAS BODRI SUMIM NOTAR OSPER GUSLI SEVAN MAGRI ZAJ R654 PEKAM KASOL ORSAR R784 TATLA L223 VUTEB OMDB

Unmatched points: EXFUL GODBI LODKU LINRU T828 NIBIM OKNOS

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAX APT	-	33.94310 -118.40900	0 ft 0 m	-	Los Angeles Intl
GARDY FIX	-	34.25590 -117.54800	0 ft 0 m	46	-
BEALE FIX	-	36.18250 -114.82600	0 ft 0 m	176	-
BLIPP FIX	Q842 AWY-HI	36.71150 -114.47400	0 ft 0 m	36	-
WINEN FIX	Q842 AWY-HI	37.93330 -113.50000	0 ft 0 m	86	-
TCH VOR	-	40.85030 -111.98200	0 ft 0 m	188	WASATCH
BIL VOR	-	45.80860 -108.62500	0 ft 0 m	331	BILLINGS
VLN VOR	-	50.66690 -104.89000	0 ft 0 m	327	LUMSDEN
5530N10000W LATLON	-	55.30000 -100.00000	0 ft 0 m	329	-
6200N09000W LATLON	-	62.00000 -90.00000	0 ft 0 m	508	-
6430N08000W LATLON	-	64.30000 -80.00000	0 ft 0 m	303	-
6630N07000W LATLON	-	66.30000 -70.00000	0 ft 0 m	277	-
CANEL FIX	-	67.98390 -60.76400	0 ft 0 m	237	-
6800N06000W LATLON	-	68.00000 -60.00000	0 ft 0 m	17	-
6900N05000W LATLON	-	69.00000 -50.00000	0 ft 0 m	227	-
7000N04000W LATLON	-	70.00000 -40.00000	0 ft 0 m	218	-
7000N02000W LATLON	-	70.00000 -20.00000	0 ft 0 m	408	-
6900N01000W LATLON	-	69.00000 -10.00000	0 ft 0 m	218	-
6700N00000E LATLON	-	67.00000 0.00000	0 ft 0 m	254	-
ADKAS FIX	-	66.46290 8.10754	0 ft 0 m	194	-
BODRI FIX	-	62.41500 19.82420	0 ft 0 m	387	-
SUMIM FIX	-	57.91220 27.48610	0 ft 0 m	353	-
NOTAR FIX	-	57.83000 27.55970	0 ft 0 m	5	-
OSPER FIX	-	53.43920 38.91830	0 ft 0 m	465	-
GUSLI FIX	-	42.91830 43.28500	0 ft 0 m	655	-
SEVAN FIX	-	40.53420 44.95470	0 ft 0 m	161	-
MAGRI	-	38.90220	0 ft	118	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	46.38330	0 m		
ZAJ	-	36.59140	0 ft	176	ZANJAN VORTAC
DME	-	48.69050	0 m		
TULGU	R654	36.47670	0 ft	6	-
FIX	AWY-HI	48.70970	0 m		
SAV	R654	35.01860	0 ft	119	SAVEH
NDB	AWY-HI	50.37140	0 m		
EGVEL	R654	34.71610	0 ft	19	-
FIX	AWY-HI	50.50140	0 m		
PEKAM	R654	33.48440	0 ft	78	-
FIX	AWY-HI	51.02170	0 m		
KASOL	-	28.52970	0 ft	319	-
FIX	-	53.25920	0 m		
ORSAR	-	26.07500	0 ft	152	-
FIX	-	53.95830	0 m		
GIBIB	R784	25.91860	0 ft	20	-
FIX	AWY-HI	54.28670	0 m		
EMOTA	R784	25.88170	0 ft	6	-
FIX	AWY-HI	54.40390	0 m		
TATLA	R784	25.79810	0 ft	15	-
FIX	AWY-HI	54.66890	0 m		
VUTEB	L223	25.61250	0 ft	15	-
FIX	AWY-HI	54.86360	0 m		
OMDB	-	25.25110	0 ft	35	Dubai Intl
APT	-	55.37110	0 m		

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.439 E

METAR

KLAX 200653Z 27009KT 10SM FEW009 SCT012 14/12 A2999 RMK A02 SLP153 T01390117 \$

TAF

KLAX 200541Z 2006/2112 25010KT P6SM SCT015 FM200700 26006KT P6SM OVC020 FM201200 14006KT 6SM -DZ BR BKN015 OVC025

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.354 E

METAR

OMDB 200700Z 21006KT 140V280 CAVOK 33/20 Q1006 NOSIG

TAF

TAF OMDB 200500Z 2006/2112 21008KT 8000 NSC BECMG 2006/2008 27012KT BECMG 2016/2018 19005KT PROB30 TEMPO 2022/2100

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m