

KSTS

Charles M. Schulz - Sonoma County

341


MMTJ

Tijuana Intl

2024/06/03 0330Z

KSTS BORED V301 PXN T263 AVE J1 DERBB T263 FIM J1 LAX V165 HERMO MMTJ

459.38 nm / 850.78 km



Notes

Basic altitude profile:

- Ascent Rate: 3500ft/min
- Ascent Speed: 300kts
- Cruise Altitude: 32000ft
- Cruise Speed: 330kts
- Descent Rate: 2500ft/min
- Descent Speed: 260kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KSTS	-	38.50970	0 ft	-	Charles M. Schulz - Sonoma County	
APT	-	-122.81300	0 m			
BORED	-	37.30950	32,000 ft	96	-	
FIX	-	-121.46300	9,754 m			
KARNN	V301	37.15110	32,000 ft	12	-	
FIX	AWY-LO	-121.27900	9,754 m			
PXN	V301	36.71550	32,000 ft	35	PANOCHE	
VOR	AWY-LO	-120.77900	9,754 m			
AVE	T263	35.64700	32,000 ft	74	AVENAL	
VOR	AWY-LO	-119.97900	9,754 m			
DERBB	J1	35.25590	32,000 ft	28	-	
FIX	AWY-HI	-119.64100	9,754 m			
FIM	T263	34.35670	32,000 ft	65	FILLMORE	
VOR	AWY-LO	-118.88100	9,754 m			
LAX	J1	33.93320	32,000 ft	33	LOS ANGELES	
VOR	AWY-HI	-118.43200	9,754 m			
HERMO	V165	33.85900	32,000 ft	5	-	
FIX	AWY-LO	-118.35300	9,754 m			
MMTJ	-	32.54110	0 ft	105	Tijuana Intl	
APT	-	-116.97000	0 m			

KSTS

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 128 ft / 39 m
Location: 38.509700 -122.813000
Magnetic Var: 13.078 E

METAR

KSTS 030253Z AUTO 14006KT 10SM CLR 23/15 A2991 RMK A02 SLP122 T02330150 53011

TAF

TAF AMD KSTS 030138Z 0302/0324 17010KT P6SM SCT150 FM030400 28008KT P6SM SCT150 FM031100 VRB05KT P6SM SCT030 WS010

Frequencies

REC - 120.55 MHz - ATIS
GND - 121.90 MHz - SANTA ROSA GROUND
DEP - 127.80 MHz - OAKLAND DEPARTURE
COM - 118.50 MHz - CTAF
TWR - 118.50 MHz - SANTA ROSA TOWER
APP - 127.80 MHz - OAKLAND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	150 ft	6,008 ft	157.28	ASPHALT	0 ft	0 ft
	46 m	1,831 m	144.20		0 m	0 m
32	150 ft	6,008 ft	337.28	ASPHALT	0 ft	0 ft
	46 m	1,831 m	324.20		0 m	0 m
02	100 ft	5,211 ft	29.14	ASPHALT	0 ft	0 ft
	30 m	1,588 m	16.06		0 m	0 m
20	100 ft	5,211 ft	209.14	ASPHALT	0 ft	0 ft
	30 m	1,588 m	196.06		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	LOC-ILS	ISTS	109.30 MHz	18 nm	337.28	-	128 ft
				33 km	324.20		128 m
32	GS	ISTS	109.30 MHz	10 nm	337.28	3.00	128 ft
				19 km	324.20		128 m

MMTJ

Region: MEXICO
Timezone: AMERICA/TIJUANA
Runways: 1

Elevation: 487 ft / 148 m
Location: 32.541100 -116.970000
Magnetic Var: 10.882 E

METAR

UNKNOWN

TAF

TAF MMTJ 022255Z 0300/0400 22005KT P6SM SCT015 TX21/0322Z TN15/0312Z BECMG 0303/0304 OVC015 TEMPO 0310/0314 3SM D

Frequencies

REC - 127.90 MHz - TIJUANA ATIS
GND - 126.10 MHz - TIJUANA GROUND
APP - 119.50 MHz - TIJUANA APPROACH
CLD - 122.35 MHz - TIJUANA CLEARANCE
TWR - 118.10 MHz - TIJUANA TOWER
APP - 120.30 MHz - TIJUANA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	146 ft	9,704 ft	98.90	ASPHALT	0 ft	200 ft
	45 m	2,958 m	88.02		0 m	61 m
27	146 ft	9,704 ft	278.92	ASPHALT	0 ft	194 ft
	45 m	2,958 m	268.04		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ITIJ	111.50 MHz	18 nm	-	-	489 ft
				33 km	-		489 m
09	LOC-ILS	ITIJ	111.50 MHz	18 nm	98.91	-	485 ft
				33 km	88.03		485 m
09	GS	ITIJ	111.50 MHz	10 nm	98.91	3.00	485 ft
				19 km	88.03		485 m