

EGLC

London City


OMDB

Dubai Intl

2024/05/10 2159Z

EGLC KOK **UL607** MATUG **UZ660** RASPU **UL984** OKG **L726** BNO **T303** MAKAL **P27** PPD **R232** KSC **W425** LASOT SR
W425 RUMUK **L623** BCU **N616** EVIKA **L624** ADINA **L851** KUGOS **UM860** CRM **UM688** BAYIR **UT888** ALRAM **UT36** KRD
KRD **UT36** IMKEN **W3** KIXOB **UL223** EGSIR **T217** LAM **UL223** KIS OMDB

3020.41 nm / 5593.80 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLC APT	-	51.50520 0.05518	0 ft 0 m	-	London City
KOK DME	-	51.09920 2.65472	35,000 ft 10,668 m	100	KOKSY VORTAC
FERDI FIX	UL607 AWY-HI	50.91260 3.63697	35,000 ft 10,668 m	38	-
BUPAL FIX	UL607 AWY-HI	50.72310 4.60111	35,000 ft 10,668 m	38	-
REMBA FIX	UL607 AWY-HI	50.66220 4.91403	35,000 ft 10,668 m	12	-
SPI VOR	UL607 AWY-HI	50.51470 5.62361	35,000 ft 10,668 m	28	SPRIMONT
PELIX FIX	UL607 AWY-HI	50.49690 5.76250	35,000 ft 10,668 m	5	-
MATUG FIX	UL607 AWY-HI	50.41670 6.36972	35,000 ft 10,668 m	23	-
GUBAX FIX	UZ660 AWY-HI	50.29030 7.91120	35,000 ft 10,668 m	59	-
RASPU FIX	UZ660 AWY-HI	50.07280 10.09860	35,000 ft 10,668 m	85	-
KOMIB FIX	UL984 AWY-HI	50.07340 10.24270	35,000 ft 10,668 m	5	-
SULUS FIX	UL984 AWY-HI	50.07520 10.72880	35,000 ft 10,668 m	18	-
LONLI FIX	UL984 AWY-HI	50.07470 11.22640	35,000 ft 10,668 m	19	-
KULOK FIX	UL984 AWY-HI	50.07280 11.63050	35,000 ft 10,668 m	15	-
ABERU FIX	UL984 AWY-HI	50.06920 12.09370	35,000 ft 10,668 m	17	-
OKG VOR	UL984 AWY-HI	50.06510 12.40570	35,000 ft 10,668 m	12	CHEB
ELMEK FIX	L726 AWY-HI	49.90390 14.02990	35,000 ft 10,668 m	63	-
VLM VOR	L726 AWY-HI	49.70430 15.06670	35,000 ft 10,668 m	41	VLASIM
OSNEK FIX	L726 AWY-HI	49.51320 15.63800	35,000 ft 10,668 m	25	-
BODAL FIX	L726 AWY-HI	49.46410 15.78270	35,000 ft 10,668 m	6	-
TUMKA FIX	L726 AWY-HI	49.40790 15.94730	35,000 ft 10,668 m	7	-
BITSI FIX	L726 AWY-HI	49.30830 16.23630	35,000 ft 10,668 m	12	-
BNO VOR	L726 AWY-HI	49.15010 16.69260	35,000 ft 10,668 m	20	BRNO
ESETO FIX	T303 AWY-HI	49.22990 17.71830	35,000 ft 10,668 m	40	-
MAKAL FIX	T303 AWY-HI	49.24600 18.16570	35,000 ft 10,668 m	17	-
ZLA NDB	P27 AWY-LO	49.20290 18.51040	35,000 ft 10,668 m	13	ZILINA
RUTKI	P27	49.17330	35,000 ft	16	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	18.94010	10,668 m		
LIPMU	P27	49.12310	35,000 ft	26	-
FIX	AWY-LO	19.62310	10,668 m		
PPD	P27	49.06470	35,000 ft	28	TATRY
VOR	AWY-LO	20.35010	10,668 m		
MARKA	R232	48.90220	35,000 ft	16	-
FIX	AWY-LO	20.69360	10,668 m		
KSC	R232	48.68310	35,000 ft	25	KOSICE
VOR	AWY-LO	21.24820	10,668 m		
EVULA	W425	48.66420	35,000 ft	16	-
FIX	AWY-LO	21.66280	10,668 m		
BIDLI	W425	48.65000	35,000 ft	11	-
FIX	AWY-LO	21.94920	10,668 m		
LASOT	W425	48.63470	35,000 ft	11	-
FIX	AWY-LO	22.24580	10,668 m		
SR	-	48.52110	35,000 ft	12	SEREDNIE
NDB	-	22.50890	10,668 m		
RUMUK	W425	48.02670	35,000 ft	44	-
FIX	AWY-LO	23.34330	10,668 m		
BIBOR	L623	47.26920	35,000 ft	85	-
FIX	AWY-HI	25.13920	10,668 m		
BUKUR	L623	47.12030	35,000 ft	16	-
FIX	AWY-HI	25.47860	10,668 m		
INBID	L623	46.79360	35,000 ft	35	-
FIX	AWY-HI	26.20940	10,668 m		
BCU	L623	46.51090	35,000 ft	30	BACAU
VOR	AWY-HI	26.82560	10,668 m		
TULNU	N616	46.28060	35,000 ft	15	-
FIX	AWY-HI	27.00440	10,668 m		
PELES	N616	46.21720	35,000 ft	4	-
FIX	AWY-HI	27.05330	10,668 m		
EVIKA	N616	45.61250	35,000 ft	41	-
FIX	AWY-HI	27.51390	10,668 m		
GLT	L624	45.41640	35,000 ft	21	GALATI
VOR	AWY-HI	27.92780	10,668 m		
DUNAV	L624	45.12720	35,000 ft	29	-
FIX	AWY-HI	28.48190	10,668 m		
TIRVO	L624	44.99250	35,000 ft	13	-
FIX	AWY-HI	28.73640	10,668 m		
LUPUK	L624	44.41280	35,000 ft	51	-
FIX	AWY-HI	29.61280	10,668 m		
GALMI	L624	44.13330	35,000 ft	24	-
FIX	AWY-HI	30.02560	10,668 m		
ADINA	L624	43.80330	35,000 ft	28	-
FIX	AWY-HI	30.50500	10,668 m		
BANUR	L851	43.68330	35,000 ft	21	-
FIX	AWY-HI	30.96670	10,668 m		
ROMOK	L851	43.47330	35,000 ft	35	-
FIX	AWY-HI	31.72830	10,668 m		
LAGIR	L851	43.29330	35,000 ft	27	-
FIX	AWY-HI	32.31500	10,668 m		
SUGUL	L851	43.11830	35,000 ft	30	-
FIX	AWY-HI	32.97170	10,668 m		
KUGOS	L851	42.78060	35,000 ft	53	-
FIX	AWY-HI	34.08780	10,668 m		
SIN	UM860	42.02230	35,000 ft	63	SINOP

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	35.07680	10,668 m		
CRM	UM860	41.26550	35,000 ft	80	CARSAMBA (SAMSUN)
VOR	AWY-HI	36.54890	10,668 m		
GULRA	UM688	40.37970	35,000 ft	94	-
FIX	AWY-HI	38.27940	10,668 m		
INTAB	UM688	39.94060	35,000 ft	46	-
FIX	AWY-HI	39.10190	10,668 m		
ERN	UM688	39.70840	35,000 ft	24	ERZINCAN
VOR	AWY-HI	39.52930	10,668 m		
EVSAS	UM688	39.32470	35,000 ft	38	-
FIX	AWY-HI	40.18860	10,668 m		
BAYIR	UM688	38.59470	35,000 ft	71	-
FIX	AWY-HI	41.40390	10,668 m		
ULKEM	UT888	38.11060	35,000 ft	96	-
FIX	AWY-HI	43.36470	10,668 m		
ALRAM	UT888	37.70830	35,000 ft	64	-
FIX	AWY-HI	44.62670	10,668 m		
ENEDA	UT36	35.86970	35,000 ft	141	-
FIX	AWY-HI	46.45500	10,668 m		
NOLTO	UT36	35.24310	35,000 ft	44	-
FIX	AWY-HI	46.93970	10,668 m		
KRD	UT36	33.43510	35,000 ft	127	KHORAM ABAD VOR-DME
DME	AWY-HI	48.28910	10,668 m		
KRD	-	33.43420	35,000 ft	0	KHORAM ABAD
VOR	-	48.29190	10,668 m		
DAPEM	UT36	32.85720	35,000 ft	40	-
FIX	AWY-HI	48.69970	10,668 m		
NAGRO	UT36	32.17080	35,000 ft	50	-
FIX	AWY-HI	49.26330	10,668 m		
IMKEN	UT36	31.73530	35,000 ft	31	-
FIX	AWY-HI	49.60310	10,668 m		
KIXOB	W3	31.15470	35,000 ft	54	-
FIX	AWY-HI	50.41640	10,668 m		
EGSIR	UL223	29.77080	35,000 ft	99	-
FIX	AWY-HI	51.45970	10,668 m		
RUBAK	T217	29.43810	35,000 ft	23	-
FIX	AWY-HI	51.70500	10,668 m		
TOTNO	T217	29.18110	35,000 ft	18	-
FIX	AWY-HI	51.89330	10,668 m		
DASDO	T217	28.90030	35,000 ft	19	-
FIX	AWY-HI	52.09750	10,668 m		
LAGSA	T217	28.55170	35,000 ft	24	-
FIX	AWY-HI	52.34890	10,668 m		
LAM	T217	27.37280	35,000 ft	83	LAMERD
VOR	AWY-HI	53.18400	10,668 m		
KIS	UL223	26.52520	23,100 ft	65	KISH ISLAND
VOR	AWY-HI	53.96240	7,041 m		
OMDB	-	25.25110	0 ft	107	Dubai Intl
APT	-	55.37110	0 m		

EGLC

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 19 ft / 6 m
Location: 51.505200 0.055176
Magnetic Var: 0.549 E

METAR

EGLC 102120Z AUTO 07008KT 9999 NCD 14/10 Q1023

TAF

UNKNOWN

Frequencies

APP - 132.70 MHz - THAMES RADAR
GND - 121.82 MHz - CITY GROUND
TWR - 129.45 MHz - CITY TOWER

REC - 136.35 MHz - CITY ATIS
TWR - 118.07 MHz - CITY TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	98 ft	4,916 ft	92.88	ASPHALT	315 ft	190 ft
	30 m	1,498 m	92.33		96 m	58 m
27	98 ft	4,916 ft	272.90	ASPHALT	230 ft	302 ft
	30 m	1,498 m	272.35		70 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ILST	111.15 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
27	DME	ILSR	111.15 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
09	LOC-ILS	ILST	111.15 MHz	18 nm	92.89	-	19 ft
				33 km	92.34		19 m
27	LOC-ILS	ILSR	111.15 MHz	18 nm	272.89	-	19 ft
				33 km	272.34		19 m
09	GS	ILST	111.15 MHz	10 nm	92.89	5.50	19 ft
				19 km	92.34		19 m
27	GS	ILSR	111.15 MHz	10 nm	272.89	5.50	19 ft
				19 km	272.34		19 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 102100Z 19005KT CAVOK 27/20 Q1008 NOSIG

TAF

TAF OMDB 101700Z 1018/1200 26010KT 8000 NSC BECMG 1018/1020 18005KT PROB30 1023/1104 3000 BR BKN005 BECMG 1106/1110 18005KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m