

WIII

Jakarta Soekarno-Hatta Intl

NH856


RJTT

Tokyo Intl

2024/05/20 0603Z

WIII 0611S10682E RATIH AMBOY **P648** VJN VETAG OSANU PR TOKON OLRAX CAB **N884** ALBAX **Y533** AZAMA SHIBK
3081N13373E YULIA 3243N13602E BILLY 3391N13828E 3421N13895E 3428N13913E 3449N13971E 3468N13986E
UMUKI KAIHO AVION ALLIE AZURE RJTT

3184.29 nm / 5897.30 km



Notes

Made with Skyvector and Flight Radar 24

Flight Info:

Airline: All Nippon Airways

Aircraft: B 787-8 Dreamliner

Registration: JA814A

Departure and Arrival time (Local time):

09:34 PM - 06:49 AM

Flight Date: October 6-7th 2022

Runway departure: 25L

Runway arrival: 34L

Cruising altitude: FL390
Cruising speed: 460-500kts (GS)

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIII	-	-6.11981	0 ft	-	Jakarta Soekarno-Hatta Intl
APT	-	106.65700	0 m		
0611S10682E	-	-6.11000	0 ft	9	-
LATLON	-	106.82000	0 m		
RATIH	-	-5.92238	0 ft	15	-
FIX	-	107.00600	0 m		
AMBOY	-	-4.13333	0 ft	127	-
FIX	-	108.16700	0 m		
RAFIS	P648	-2.89269	0 ft	94	-
FIX	AWY-HI	109.13600	0 m		
TRIBO	P648	-1.68387	0 ft	93	-
FIX	AWY-HI	110.11400	0 m		
OSUKA	P648	-1.29167	0 ft	29	-
FIX	AWY-HI	110.41200	0 m		
OMEGA	P648	-0.38333	0 ft	69	-
FIX	AWY-HI	111.12000	0 m		
OKADA	P648	1.56667	0 ft	148	-
FIX	AWY-HI	112.63300	0 m		
ALEMO	P648	2.76250	0 ft	91	-
FIX	AWY-HI	113.57200	0 m		
UDERO	P648	3.93060	0 ft	89	-
FIX	AWY-HI	114.49400	0 m		
BUTAX	P648	4.43690	0 ft	38	-
FIX	AWY-HI	114.87600	0 m		
VJN80	P648	4.85139	0 ft	31	-
FIX	AWY-HI	115.21100	0 m		
VJN	P648	5.89925	0 ft	79	KOTA KINABALU
VOR	AWY-HI	116.03400	0 m		
VETAG	-	6.58499	0 ft	50	-
FIX	-	116.51400	0 m		
OSANU	-	7.69000	0 ft	80	-
FIX	-	117.29300	0 m		
PR	-	9.74133	0 ft	150	PUERTO PRINCESA VOR-DME
DME	-	118.75300	0 m		
TOKON	-	11.70050	0 ft	129	-
FIX	-	119.67500	0 m		
OLRAX	-	13.31620	0 ft	107	-
FIX	-	120.44600	0 m		
CAB	-	15.48230	0 ft	134	CABANATUAN
VOR	-	121.02400	0 m		
CUY	N884	16.93160	0 ft	96	CAUAYAN
VOR	AWY-HI	121.74800	0 m		
DADNU	N884	17.83620	0 ft	60	-
FIX	AWY-HI	122.23100	0 m		
LEBIX	N884	21.00000	0 ft	212	-
FIX	AWY-HI	123.90800	0 m		
ALBAX	N884	23.56940	0 ft	173	-
FIX	AWY-HI	125.32600	0 m		
AZAMA	Y533	26.16090	0 ft	205	-
FIX	AWY-HI	127.80100	0 m		
SHIBK	-	29.65400	0 ft	309	-
FIX	-	132.08100	0 m		
3081N13373E	-	30.81000	0 ft	110	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	133.73000	0 m		
YULIA	-	31.71690	0 ft 87	-	
FIX	-	135.07600	0 m		
3243N13602E	-	32.43000	0 ft 64	-	
LATLON	-	136.02000	0 m		
BILLY	-	33.61110	0 ft 107	-	
FIX	-	137.62000	0 m		
3391N13828E	-	33.91000	0 ft 37	-	
LATLON	-	138.28000	0 m		
3421N13895E	-	34.21000	0 ft 37	-	
LATLON	-	138.95000	0 m		
3428N13913E	-	34.28000	0 ft 9	-	
LATLON	-	139.13000	0 m		
3449N13971E	-	34.49000	0 ft 31	-	
LATLON	-	139.71000	0 m		
3468N13986E	-	34.68000	0 ft 13	-	
LATLON	-	139.86000	0 m		
UMUKI	-	35.20530	0 ft 31	-	
FIX	-	139.81400	0 m		
KAIHO	-	35.31610	0 ft 6	-	
FIX	-	139.77800	0 m		
AVION	-	35.41030	0 ft 6	-	
FIX	-	139.85200	0 m		
ALLIE	-	35.44370	0 ft 2	-	
FIX	-	139.85100	0 m		
AZURE	-	35.47260	0 ft 1	-	
FIX	-	139.83100	0 m		
RJTT	-	35.54790	0 ft 4	Tokyo Intl	
APT	-	139.78900	0 m		

WIII

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 3

Elevation: 34 ft / 10 m
Location: -6.119810 106.657000
Magnetic Var: 0.529 E

METAR

WIII 200530Z 08008KT 7000 FEW020 34/23 Q1008 NOSIG

TAF

TAF WIII 192300Z 2000/2106 VRB02KT 8000 FEW020 BECMG 2002/2004 04010KT BECMG 2012/2014 20005KT 5000 HZ BECMG 2023/

Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.72		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.72		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m

RJTT

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 4

Elevation: 20 ft / 6 m
Location: 35.547900 139.789000
Magnetic Var: 7.807 W

METAR

RJTT 200530Z 09005KT 9999 FEW015 BKN025 21/16 Q1011 NOSIG

TAF

TAF RJTT 192305Z 2000/2106 35014KT 8000 -SHRA FEW008 BKN015 TEMPO 2000/2003 3000 SHRA BR FEW003 BKN005 TEMPO 2003/

Frequencies

REC - 128.80 MHz - TOKYO ATIS	CLD - 121.87 MHz - TOKYO DELIVERY
CLD - 121.82 MHz - TOKYO DELIVERY	GND - 118.22 MHz - TOKYO GROUND
GND - 121.62 MHz - TOKYO GROUND	GND - 121.70 MHz - TOKYO GROUND
GND - 121.97 MHz - TOKYO GROUND	GND - 122.07 MHz - TOKYO GROUND
TWR - 118.10 MHz - TOKYO TOWER	TWR - 118.57 MHz - TOKYO TOWER
TWR - 118.72 MHz - TOKYO TOWER	TWR - 124.35 MHz - TOKYO TOWER
TWR - 118.80 MHz - TOKYO TOWER	TWR - 116.20 MHz - TOKYO TOWER
APP - 119.10 MHz - TOKYO APPROACH	APP - 119.40 MHz - TOKYO APPROACH
APP - 119.65 MHz - TOKYO APPROACH	APP - 119.70 MHz - TOKYO APPROACH
APP - 125.40 MHz - TOKYO APPROACH	APP - 121.27 MHz - TOKYO APPROACH
APP - 124.40 MHz - TOKYO APPROACH	APP - 125.20 MHz - TOKYO APPROACH
APP - 125.80 MHz - TOKYO APPROACH	APP - 127.70 MHz - TOKYO APPROACH
DEP - 126.00 MHz - TOKYO DEPARTURE	DEP - 120.80 MHz - TOKYO DEPARTURE
DEP - 127.50 MHz - TOKYO DEPARTURE	DEP - 127.60 MHz - TOKYO DEPARTURE
DEP - 124.20 MHz - TOKYO DEPARTURE	DEP - 119.60 MHz - TOKYO DEPARTURE
DEP - 120.60 MHz - TOKYO DEPARTURE	DEP - 125.52 MHz - TOKYO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	11,039 ft	150.01	ASPHALT	0 ft	190 ft
	60 m	3,365 m	157.82		0 m	58 m
34R	197 ft	11,039 ft	330.02	ASPHALT	1,181 ft	194 ft
	60 m	3,365 m	337.83		360 m	59 m
04	197 ft	8,211 ft	34.92	ASPHALT	0 ft	194 ft
	60 m	2,503 m	42.73		0 m	59 m
22	197 ft	8,211 ft	214.93	ASPHALT	0 ft	190 ft
	60 m	2,503 m	222.74		0 m	58 m
16R	197 ft	9,855 ft	149.98	ASPHALT	0 ft	0 ft
	60 m	3,004 m	157.79		0 m	0 m
34L	197 ft	9,855 ft	329.99	ASPHALT	0 ft	190 ft
	60 m	3,004 m	337.80		0 m	58 m
05	197 ft	8,206 ft	42.44	ASPHALT	0 ft	190 ft
	60 m	2,501 m	50.25		0 m	58 m
23	197 ft	8,206 ft	222.45	ASPHALT	0 ft	194 ft
	60 m	2,501 m	230.26		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	IAD	108.10 MHz	18 nm	-	-	46 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	-		46 m
23	DME	ITD	110.50 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
34L	DME	IHA	111.70 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
34R	DME	ITC	108.90 MHz	18 nm	-	-	21 ft
				33 km	-		21 m
16L	LOC-ILS	IOC	111.95 MHz	18 nm	150.02	-	20 ft
				33 km	157.83		20 m
16R	LOC-ILS	ITA	111.55 MHz	18 nm	149.99	-	20 ft
				33 km	157.80		20 m
22	LOC-ILS	IAD	108.10 MHz	18 nm	214.93	-	20 ft
				33 km	222.74		20 m
23	LOC-ILS	ITD	110.50 MHz	18 nm	222.45	-	20 ft
				33 km	230.26		20 m
34L	LOC-ILS	IHA	111.70 MHz	18 nm	329.99	-	20 ft
				33 km	337.80		20 m
34R	LOC-ILS	ITC	108.90 MHz	18 nm	330.02	-	20 ft
				33 km	337.83		20 m
16L	GS	IOC	111.95 MHz	10 nm	150.02	3.00	20 ft
				19 km	157.83		20 m
16R	GS	ITA	111.55 MHz	10 nm	149.99	3.00	20 ft
				19 km	157.80		20 m
22	GS	IAD	108.10 MHz	10 nm	214.93	3.00	20 ft
				19 km	222.74		20 m
23	GS	ITD	110.50 MHz	10 nm	222.45	3.00	20 ft
				19 km	230.26		20 m
34L	GS	IHA	111.70 MHz	10 nm	329.99	3.00	20 ft
				19 km	337.80		20 m
34R	GS	ITC	108.90 MHz	10 nm	330.02	3.00	20 ft
				19 km	337.83		20 m