


2024/05/20 0602Z

PAEN SEWAR **V441** MDO **J804R** FRIED **TRK19** YZP **J523** YZT **V317** JAINE KBLI

1214.34 nm / 2248.95 km



Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 385kts
- Descent Rate: 1500ft/min
- Descent Speed: 240kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PAEN	-	60.57465	0 ft	-	KENAI MUNI
APT	-	-151.24148	0 m		
SEWAR	-	60.26680	17,900 ft	50	-
FIX	-	-149.66772	5,456 m		
MDO	V441	59.42181	35,000 ft	112	MIDDLETON ISLAND VOR-DME
DME	AWY-LO	-146.35001	10,668 m		
SNOUT	J804R	57.89066	35,000 ft	170	-
FIX	AWY-HI	-141.75529	10,668 m		
EEDEN	J804R	55.89960	35,000 ft	196	-
FIX	AWY-HI	-137.00176	10,668 m		
FRIED	J804R	54.22188	35,000 ft	153	-
FIX	AWY-HI	-133.63245	10,668 m		
YZP	TRK19	53.25217	35,000 ft	87	SANDSPIT VOR-DME
VOR	AWY-HI	-131.80708	10,668 m		
YZT	J523	50.68425	35,000 ft	225	PORT HARDY VOR-DME
VOR	AWY-HI	-127.36519	10,668 m		
CORMO	V317	50.54153	35,000 ft	16	-
FIX	AWY-LO	-126.98108	10,668 m		
FENEL	V317	50.45700	35,000 ft	9	-
FIX	AWY-LO	-126.75619	10,668 m		
ATUNA	V317	50.37319	35,000 ft	9	-
FIX	AWY-LO	-126.53106	10,668 m		
COHOE	V317	49.94056	28,200 ft	50	-
FIX	AWY-LO	-125.41389	8,595 m		
QQ	V317	49.75389	23,700 ft	20	COMOX NDB
NDB	AWY-LO	-124.95806	7,224 m		
JAINE	V317	49.51806	17,400 ft	29	-
FIX	AWY-LO	-124.28861	5,304 m		
KB LI	-	48.79261	0 ft	81	BELLINGHAM INTL
APT	-	-122.53753	0 m		

PAEN

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 2

Elevation: 99 ft / 30 m

Location: 60.574800 -151.241000

Magnetic Var: 13.578 E

METAR

PAEN 200453Z 36007KT 10SM CLR 11/02 A2991

TAF

PAEN 192323Z 2000/2024 01018G28KT P6SM OVC070 FM200700 20014KT P6SM SCT100 FM201400 19007KT P6SM SCT100 FM201800

Frequencies

REC - 133.35 MHz - ATIS

GND - 118.75 MHz - KENAI GROUND

COM - 121.30 MHz - CTAF

TWR - 121.30 MHz - KENAI TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02L	150 ft	7,841 ft	30.99	ASPHALT	282 ft	171 ft
	46 m	2,390 m	17.41		86 m	52 m
20R	150 ft	7,841 ft	211.01	ASPHALT	0 ft	207 ft
	46 m	2,390 m	197.43		0 m	63 m
02R	75 ft	2,006 ft	31.07	GRAVEL	0 ft	0 ft
	23 m	611 m	17.49		0 m	0 m
20L	75 ft	2,006 ft	211.07	GRAVEL	0 ft	0 ft
	23 m	611 m	197.50		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20R	LOC-ILS	IENA	108.90 MHz	18 nm	211.01	-	99 ft
				33 km	197.43		99 m
20R	GS	IENA	108.90 MHz	10 nm	211.01	3.00	99 ft
				19 km	197.43		99 m

KBLI

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 1

Elevation: 170 ft / 52 m
Location: 48.792700 -122.538000
Magnetic Var: 15.077 E

METAR

KBLI 200453Z 18006KT 10SM CLR 12/07 A3022 RMK A02 SLP241 T01170067

TAF

TAF KBLI 192320Z 2000/2024 26005KT P6SM SCT050 FM200300 19003KT P6SM SCT250 FM201500 18004KT P6SM SCT025 BKN250 FM

Frequencies

REC - 134.45 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 124.90 MHz - TOWER
COM - 124.90 MHz - CTAF
GND - 127.40 MHz - GROUND
APP - 132.70 MHz - VICTORIA APPROACH/DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	6,704 ft	179.84	ASPHALT	0 ft	92 ft
	46 m	2,043 m	164.76		0 m	28 m
34	151 ft	6,704 ft	359.84	ASPHALT	0 ft	0 ft
	46 m	2,043 m	344.76		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IBLI	108.50 MHz	18 nm	179.84	-	170 ft
				33 km	164.76		170 m
16	GS	IBLI	108.50 MHz	10 nm	179.84	3.00	170 ft
				19 km	164.76		170 m