

RCTP

Taiwan Taoyuan Intl

CAL8


KLAX

Los Angeles Intl

2024/05/20 0920Z

RCTP ROBIN **R583** BORDO **Z29** GAKIA **Y293** YULIA ADNAP **OTR5** KALNA 4300N16000E 4400N17000E 4500N18000E
4600N17000W 4700N16000W 4800N15000W 4700N14000W 4400N13000W LATNE ENI OAK BURGL KLAX

6001.08 nm / 11114.00 km



Notes

Requested: RCTP ROBIN1C ROBIN R583 BORDO Z29 GAKIA Y293 YULIA Y57 LIGNI Y57 POROT Y809 IDLAN Y812 ADNAP OTR5 KALNA
Unmatched points: ROBIN1C LIGNI POROT IDLAN IRNMN2

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RCTP	-	25.07790	0 ft	-	Taiwan Taoyuan Intl
APT	-	121.23400	0 m		
ROBIN	-	25.41920	0 ft	56	-
FIX	-	122.20800	0 m		
LEKOS	R583	25.50750	0 ft	15	-
FIX	AWY-HI	122.48100	0 m		
PABSO	R583	25.63910	0 ft	22	-
FIX	AWY-HI	122.86600	0 m		
ANGUS	R583	25.68420	0 ft	7	-
FIX	AWY-HI	123.00000	0 m		
KIKIT	R583	25.88220	0 ft	34	-
FIX	AWY-HI	123.59200	0 m		
BORDO	R583	26.01670	0 ft	23	-
FIX	AWY-HI	124.00000	0 m		
GANEK	Z29	27.02910	0 ft	118	-
FIX	AWY-HI	125.89600	0 m		
GAKIA	Z29	27.81610	0 ft	94	-
FIX	AWY-HI	127.42100	0 m		
TONAR	Y293	29.81750	0 ft	260	-
FIX	AWY-HI	131.81100	0 m		
YULIA	Y293	31.71690	0 ft	203	-
FIX	AWY-HI	135.07600	0 m		
ADNAP	-	37.19750	0 ft	618	-
FIX	-	145.66600	0 m		
KALNA	OTR5	39.15380	0 ft	228	-
FIX	AWY-HI	149.82600	0 m		
4300N16000E	-	43.00000	0 ft	514	-
LATLON	-	160.00000	0 m		
4400N17000E	-	44.00000	0 ft	439	-
LATLON	-	170.00000	0 m		
4500N18000E	-	45.00000	0 ft	432	-
LATLON	-	-180.00000	0 m		
4600N17000W	-	46.00000	0 ft	424	-
LATLON	-	-170.00000	0 m		
4700N16000W	-	47.00000	0 ft	417	-
LATLON	-	-160.00000	0 m		
4800N15000W	-	48.00000	0 ft	409	-
LATLON	-	-150.00000	0 m		
4700N14000W	-	47.00000	0 ft	409	-
LATLON	-	-140.00000	0 m		
4400N13000W	-	44.00000	0 ft	457	-
LATLON	-	-130.00000	0 m		
LATNE	-	41.69470	0 ft	196	-
FIX	-	-126.84000	0 m		
ENI	-	39.05320	0 ft	227	MENDOCINO (UKIAH)
VOR	-	-123.27400	0 m		
OAK	-	37.72590	0 ft	93	OAKLAND
VOR	-	-122.22400	0 m		
BURGL	-	35.66600	0 ft	160	-
FIX	-	-120.10800	0 m		
KLAX	-	33.94310	0 ft	133	Los Angeles Intl
APT	-	-118.40900	0 m		

RCTP

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 2

Elevation: 108 ft / 33 m
Location: 25.077900 121.234000
Magnetic Var: 4.992 W

METAR

RCTP 200900Z 03010KT 9999 FEW020 SCT060 BKN120 26/24 Q1008 NOSIG RMK A2978

TAF

TAF RCTP 200500Z 2006/2112 03010KT 9999 FEW015 BKN032 TEMPO 2006/2012 4000 SHRA FEW008 FEW015CB BKN022 TEMPO 2018

Frequencies

REC - 127.60 MHz - ATIS	TWR - 129.30 MHz - TAIPEI TOWER
TWR - 118.70 MHz - TAIPEI TOWER	GND - 121.70 MHz - TAIPEI GROUND
GND - 121.60 MHz - TAIPEI GROUND	CLD - 121.80 MHz - TAIPEI CLEARANCE DELIVERY
APP - 119.50 MHz - TAIPEI APPROACH	APP - 119.60 MHz - TAIPEI APPROACH
APP - 119.70 MHz - TAIPEI APPROACH	APP - 123.50 MHz - TAIPEI APPROACH
APP - 123.60 MHz - TAIPEI APPROACH	APP - 124.20 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH	APP - 125.50 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH	APP - 128.50 MHz - TAIPEI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	197 ft	12,020 ft	49.01	ASPHALT	0 ft	420 ft
	60 m	3,664 m	54.00		0 m	128 m
23R	197 ft	12,020 ft	229.02	ASPHALT	0 ft	390 ft
	60 m	3,664 m	234.02		0 m	119 m
05R	197 ft	12,478 ft	49.01	ASPHALT	328 ft	404 ft
	60 m	3,803 m	54.00		100 m	123 m
23L	197 ft	12,478 ft	229.02	ASPHALT	1,148 ft	394 ft
	60 m	3,803 m	234.01		350 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	ITIA	111.10 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05R	DME	ICKS	110.70 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23R	DME	ITYA	109.30 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23L	DME	ICJN	111.90 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05L	LOC-ILS	ITIA	111.10 MHz	18 nm	49.02	-	108 ft
				33 km	54.01		108 m
05R	LOC-ILS	ICKS	110.70 MHz	18 nm	49.02	-	108 ft
				33 km	54.01		108 m
23L	LOC-ILS	ICJN	111.90 MHz	18 nm	229.02	-	108 ft
				33 km	234.01		108 m
23R	LOC-ILS	ITYA	109.30 MHz	18 nm	229.02	-	108 ft
				33 km	234.01		108 m
05L	GS	ITIA	111.10 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.01		108 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	GS	ICKS	110.70 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.01		108 m
23L	GS	ICJN	111.90 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.01		108 m
23R	GS	ITYA	109.30 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.01		108 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.439 E

METAR

KLAX 200853Z 27006KT 10SM FEW009 BKN015 14/11 A2997 RMK A02 SLP148 T01390111 \$

TAF

KLAX 200845Z 2009/2112 28008KT P6SM SCT008 BKN015 FM201200 15006KT 6SM -DZ BR BKN015 OVC025 FM201700 23006KT P6SM

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m