

EGKK

London Gatwick


LGAV

Athens Eleftherios Venizelos

2024/05/16 2243Z

EGKK ING **UL15** BEGAR **UQ341** RESIA **N1** VIE **L612** BRD **L995** TIGRA **UL995** KRK **L995** VARDI LGAV

1316.10 nm / 2437.42 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGKK APT	-	51.14880 -0.19192	0 ft 0 m	-	London Gatwick
ING NDB	-	50.88320 1.74181	26,700 ft 8,138 m	74	SAINT INGLEVERT
LESDO FIX	UL15 AWY-HI	49.80830 3.31806	35,000 ft 10,668 m	88	-
RANUX FIX	UL15 AWY-HI	49.13890 4.36167	35,000 ft 10,668 m	57	-
NEBAX FIX	UL15 AWY-HI	48.45690 6.19444	35,000 ft 10,668 m	83	-
OBAKI FIX	UL15 AWY-HI	48.36580 6.43056	35,000 ft 10,668 m	10	-
BEGAR FIX	UL15 AWY-HI	47.90830 7.58333	35,000 ft 10,668 m	53	-
ELMUR FIX	UQ341 AWY-HI	47.15680 8.90761	35,000 ft 10,668 m	70	-
RESIA FIX	UQ341 AWY-HI	46.47830 10.04330	35,000 ft 10,668 m	61	-
BELOV FIX	N1 AWY-HI	44.54250 12.71330	35,000 ft 10,668 m	161	-
BEDEG FIX	N1 AWY-HI	43.27720 14.36970	35,000 ft 10,668 m	104	-
VIE VOR	N1 AWY-HI	41.91280 16.04920	35,000 ft 10,668 m	110	VIESTE
PISIP FIX	L612 AWY-HI	41.53030 16.63640	35,000 ft 10,668 m	34	-
UVOKA FIX	L612 AWY-HI	41.37970 16.86360	35,000 ft 10,668 m	13	-
PIKEL FIX	L612 AWY-HI	41.18420 17.15830	35,000 ft 10,668 m	17	-
DOLON FIX	L612 AWY-HI	40.88920 17.59440	35,000 ft 10,668 m	26	-
BRD VOR	L612 AWY-HI	40.61090 18.00290	35,000 ft 10,668 m	24	BRINDISI
ORSOM FIX	L995 AWY-HI	40.36580 18.44670	35,000 ft 10,668 m	25	-
TIGRA FIX	L995 AWY-LO	40.05670 19.00000	35,000 ft 10,668 m	31	-
KRK VOR	UL995 AWY-HI	39.44390 20.07280	35,000 ft 10,668 m	61	KERKIRA
LATSO FIX	L995 AWY-LO	39.32000 20.38190	35,000 ft 10,668 m	16	-
VARDI FIX	L995 AWY-LO	38.67190 21.95110	22,200 ft 6,767 m	82	-
LGAV APT	-	37.93670 23.94450	0 ft 0 m	103	Athens Eleftherios Venizelos

EGKK

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 187 ft / 57 m
Location: 51.148800 -0.191923
Magnetic Var: 0.498 E

METAR

EGKK 162220Z VRB01KT CAVOK 13/11 Q1007

TAF

TAF EGKK 161659Z 1618/1724 24005KT 9999 FEW010 BECMG 1623/1702 3000 BR BKN004 PROB40 1702/1707 0300 FG VV/// BECMG

Frequencies

REC - 136.52 MHz - GATWICK INFORMATION	GND - 121.80 MHz - GATWICK GROUND
TWR - 124.22 MHz - GATWICK TOWER	TWR - 134.22 MHz - GATWICK TOWER
CLD - 121.95 MHz - GATWICK DELIVERY	APP - 118.95 MHz - GATWICK DIRECTOR
APP - 126.82 MHz - GATWICK DIRECTOR	APP - 129.02 MHz - GATWICK DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	10,851 ft	77.60	ASPHALT	1,289 ft	0 ft
	45 m	3,308 m	77.10		393 m	0 m
26L	148 ft	10,851 ft	257.63	ASPHALT	1,388 ft	102 ft
	45 m	3,308 m	257.13		423 m	31 m
08L	148 ft	8,382 ft	77.59	ASPHALT	1,047 ft	0 ft
	45 m	2,555 m	77.09		319 m	0 m
26R	148 ft	8,382 ft	257.61	ASPHALT	1,358 ft	0 ft
	45 m	2,555 m	257.12		414 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IGG	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
26L	DME	IWW	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
08R	LOC-ILS	IGG	110.90 MHz	18 nm	77.62	-	187 ft
				33 km	77.12		187 m
26L	LOC-ILS	IWW	110.90 MHz	18 nm	257.62	-	187 ft
				33 km	257.12		187 m
08R	GS	IGG	110.90 MHz	10 nm	77.62	3.00	187 ft
				19 km	77.12		187 m
26L	GS	IWW	110.90 MHz	10 nm	257.62	3.00	187 ft
				19 km	257.12		187 m

LGAV

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 308 ft / 94 m
Location: 37.936700 23.944500
Magnetic Var: 5.109 E

METAR

LGAV 162220Z VRB03KT 9999 FEW025 14/10 Q1019 NOSIG

TAF

TAF TAF LGAV 161700Z 1618/1718 VRB05KT 9999 FEW025 PROB30 TEMPO 1702/1708 SCT025 BKN070 BECMG 1702/1704 01008KT

Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.76		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.75		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.77		300 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.41		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.86		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.40		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.93		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.96		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.96		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.93		282 m