

LTFM

Istanbul


LTBJ

Izmir Adnan Menderes Intl

2024/05/16 0054Z

LTFM YAYLA LTBJ

193.52 nm / 358.39 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTFM	-	41.28010	0 ft	-	Istanbul
APT	-	28.72500	0 m		
YAYLA	-	39.86560	21,900 ft	91	-
FIX	-	27.99530	6,675 m		
LTBJ	-	38.29220	0 ft	102	Izmir Adnan Menderes Intl
APT	-	27.15590	0 m		

LTFM

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 5

Elevation: 325 ft / 99 m
Location: 41.280100 28.725000
Magnetic Var: 6.105 E

METAR

LTFM 160020Z 06009KT 9999 SCT022 BKN120 13/08 Q1021 NOSIG RMK RWY17L 06007KT RWY34L 05006KT RWY16R 05009KT RWY36 0

TAF

TAF LTFM 152240Z 1600/1706 06012KT 9999 SCT025 BKN120 BECMG 1609/1612 CAVOK BECMG 1618/1621 SCT032 BKN100

Frequencies

REC - 126.35 MHz - ATIS ARRIVAL	REC - 128.85 MHz - ATIS DEPARTURE
TWR - 118.07 MHz - ISTANBUL TOWER	TWR - 120.05 MHz - ISTANBUL TOWER
TWR - 120.95 MHz - ISTANBUL TOWER	TWR - 122.70 MHz - ISTANBUL TOWER
TWR - 124.25 MHz - ISTANBUL TOWER	TWR - 124.85 MHz - ISTANBUL TOWER
TWR - 130.27 MHz - ISTANBUL TOWER	TWR - 130.62 MHz - ISTANBUL TOWER
TWR - 130.80 MHz - ISTANBUL TOWER	TWR - 131.02 MHz - ISTANBUL TOWER
TWR - 131.10 MHz - ISTANBUL TOWER	GND - 121.55 MHz - ISTANBUL GROUND
GND - 121.57 MHz - ISTANBUL GROUND	GND - 121.62 MHz - ISTANBUL GROUND
GND - 121.67 MHz - ISTANBUL GROUND	GND - 121.72 MHz - ISTANBUL GROUND
GND - 121.75 MHz - ISTANBUL GROUND	GND - 121.77 MHz - ISTANBUL GROUND
GND - 121.80 MHz - ISTANBUL GROUND	GND - 121.82 MHz - ISTANBUL GROUND
GND - 121.87 MHz - ISTANBUL GROUND	GND - 121.92 MHz - ISTANBUL GROUND
GND - 122.60 MHz - ISTANBUL GROUND	GND - 124.72 MHz - ISTANBUL GROUND
GND - 124.92 MHz - ISTANBUL GROUND	GND - 126.30 MHz - ISTANBUL GROUND
GND - 126.82 MHz - ISTANBUL GROUND	GND - 126.92 MHz - ISTANBUL GROUND
GND - 127.92 MHz - ISTANBUL GROUND	GND - 130.20 MHz - ISTANBUL GROUND
CLD - 121.70 MHz - CLEARANCE DELIVERY	CLD - 129.17 MHz - CLEARANCE DELIVERY
APP - 132.95 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 120.70 MHz - YESILKOY APPROACH	APP - 126.42 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 120.50 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.57 MHz - YESILKOY APPROACH	APP - 118.95 MHz - YESILKOY RADAR
APP - 119.35 MHz - YESILKOY RADAR	APP - 119.47 MHz - YESILKOY RADAR
APP - 120.12 MHz - YESILKOY RADAR	APP - 120.45 MHz - YESILKOY RADAR
APP - 120.50 MHz - YESILKOY RADAR	APP - 120.70 MHz - YESILKOY RADAR
APP - 121.10 MHz - YESILKOY RADAR	APP - 121.25 MHz - YESILKOY RADAR
APP - 122.47 MHz - YESILKOY RADAR	APP - 122.57 MHz - YESILKOY RADAR
APP - 122.67 MHz - YESILKOY RADAR	APP - 126.42 MHz - YESILKOY RADAR
APP - 127.10 MHz - YESILKOY RADAR	APP - 127.82 MHz - YESILKOY RADAR
APP - 128.72 MHz - YESILKOY RADAR	APP - 130.30 MHz - YESILKOY RADAR
APP - 131.12 MHz - YESILKOY RADAR	APP - 132.05 MHz - YESILKOY RADAR
APP - 132.32 MHz - YESILKOY RADAR	APP - 132.47 MHz - YESILKOY RADAR
APP - 132.77 MHz - YESILKOY RADAR	APP - 132.95 MHz - YESILKOY RADAR
APP - 133.75 MHz - YESILKOY RADAR	APP - 133.22 MHz - YESILKOY RADAR
DEP - 131.12 MHz - YESILKOY DEPARTURE	DEP - 132.05 MHz - YESILKOY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	10,098 ft	178.89	ASPHALT	0 ft	190 ft
	45 m	3,078 m	172.79		0 m	58 m
36	148 ft	10,098 ft	358.89	ASPHALT	0 ft	197 ft
	45 m	3,078 m	352.79		0 m	60 m
17L	197 ft	13,478 ft	179.11	ASPHALT	0 ft	194 ft
	60 m	4,108 m	173.01		0 m	59 m
35R	197 ft	13,478 ft	359.11	ASPHALT	0 ft	197 ft
	60 m	4,108 m	353.01		0 m	60 m
17R	146 ft	13,479 ft	179.12	ASPHALT	0 ft	197 ft
	45 m	4,108 m	173.02		0 m	60 m
35L	146 ft	13,479 ft	359.12	ASPHALT	0 ft	197 ft
	45 m	4,108 m	353.02		0 m	60 m
16L	142 ft	12,326 ft	179.11	ASPHALT	0 ft	197 ft
	43 m	3,757 m	173.01		0 m	60 m
34R	142 ft	12,326 ft	359.12	ASPHALT	0 ft	197 ft
	43 m	3,757 m	353.01		0 m	60 m
16R	197 ft	12,325 ft	179.11	ASPHALT	0 ft	197 ft
	60 m	3,757 m	173.01		0 m	60 m
34L	197 ft	12,325 ft	359.11	ASPHALT	0 ft	203 ft
	60 m	3,757 m	353.01		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IUCB	110.35 MHz	18 nm	179.11	-	325 ft
				33 km	173.01		325 m
17L	LOC-ILS	IUCF	111.95 MHz	18 nm	179.11	-	325 ft
				33 km	173.01		325 m
18	LOC-ILS	IUCD	110.95 MHz	18 nm	178.89	-	325 ft
				33 km	172.79		325 m
34L	LOC-ILS	IUCA	108.55 MHz	18 nm	359.11	-	325 ft
				33 km	353.01		325 m
35R	LOC-ILS	IUCE	109.55 MHz	18 nm	359.11	-	325 ft
				33 km	353.01		325 m
36	LOC-ILS	IUCC	111.35 MHz	18 nm	358.89	-	325 ft
				33 km	352.79		325 m
16R	GS	IUCB	110.35 MHz	10 nm	179.11	3.00	325 ft
				19 km	173.01		325 m
17L	GS	IUCF	111.95 MHz	10 nm	179.11	3.00	325 ft
				19 km	173.01		325 m
18	GS	IUCD	110.95 MHz	10 nm	178.89	3.00	325 ft
				19 km	172.79		325 m
34L	GS	IUCA	108.55 MHz	10 nm	359.11	3.00	325 ft
				19 km	353.01		325 m
35R	GS	IUCE	109.55 MHz	10 nm	359.11	3.00	325 ft
				19 km	353.01		325 m
36	GS	IUCC	111.35 MHz	10 nm	358.89	3.00	325 ft
				19 km	352.79		325 m

LTBJ

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 2

Elevation: 410 ft / 125 m
Location: 38.292200 27.155900
Magnetic Var: 5.517 E

METAR

LTBJ 160020Z 25001KT CAVOK 14/05 Q1017 NOSIG RMK RWY16 VRB02KT

TAF

TAF LTBJ 152240Z 1600/1624 VRB02KT CAVOK BECMG 1608/1612 35012KT SCT030 BKN100 PROB30 TEMPO 1614/1618 -SHRA BECMG

Frequencies

REC - 129.20 MHz - ATIS	GND - 121.90 MHz - MENDERES GROUND
GND - 121.70 MHz - MENDERES GROUND	TWR - 118.10 MHz - MENDERES TOWER
APP - 119.45 MHz - MENDERES APPROACH	APP - 120.10 MHz - MENDERES APPROACH
APP - 120.17 MHz - MENDERES APPROACH	APP - 134.20 MHz - MENDERES APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	147 ft	10,653 ft	166.68	CONCRETE	0 ft	197 ft
	45 m	3,247 m	161.16		0 m	60 m
34L	147 ft	10,653 ft	346.68	CONCRETE	0 ft	197 ft
	45 m	3,247 m	341.17		0 m	60 m
16L	147 ft	10,653 ft	166.67	ASPHALT	0 ft	197 ft
	45 m	3,247 m	161.15		0 m	60 m
34R	147 ft	10,653 ft	346.67	ASPHALT	0 ft	197 ft
	45 m	3,247 m	341.16		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IIMR	108.50 MHz	18 nm	166.67	-	410 ft
				33 km	161.15		410 m
34R	LOC-ILS	IMEN	110.30 MHz	18 nm	346.67	-	410 ft
				33 km	341.15		410 m
16L	GS	IIMR	108.50 MHz	10 nm	166.67	3.10	410 ft
				19 km	161.15		410 m
34R	GS	IMEN	110.30 MHz	10 nm	346.67	3.00	410 ft
				19 km	341.15		410 m